

CSE 4502/5717 Big Data Analytics
Homework 3, due on December 1, 2022 at 3:30 PM

1. (a) Input is a database DB with n transactions from a set $I = \{i_1, i_2, \dots, i_d\}$ of items. It is known that each transaction in DB has $O(1)$ items. Input is also a threshold $minSupport$ for the minimum support. Present an algorithm to find all the frequent 2-itemsets. The expected run time of your algorithm should be $O(n)$.
(b) Let I be a set of items with $|I| = d$. Show that we can construct $3^d - 2^{d+1} + 1$ association rules from I .
2. Input is a database DB with q transactions from a set $I = \{i_1, i_2, \dots, i_d\}$ of items. The total number of items in all of these q transactions is n . Assume that $d = O(n^c)$ for some constant c . Input also is a threshold $minSupport$ for the minimum support. We are required to identify all the frequent items. Present an $O(n)$ time algorithm for this problem. Assume that each transaction is given as a list of items in it.
3. Present an $O(n)$ time algorithm to compute the coefficients of the polynomial $(1 + x)^n$. How much time is needed if you use the FFT algorithm to solve this problem?
4. An $n \times n$ *Toeplitz* matrix is a matrix A with the property that $A[i, j] = A[i - 1, j - 1]$, $2 \leq i, j \leq n$. Give an $O(n \log n)$ algorithm to multiply a Toeplitz matrix with an arbitrary $(n \times 1)$ column vector.
5. Construct a linear regression model for the following data: $(0, 1; 2)$, $(1, 0; 4)$, and $(1, 1; 4)$.